

# FOAMICO®

Introducing the NEXTe step in high performance cleaning equipment



## PRODUCT CATALOGUE 2019

## Hoses

### FOAMICO Standard Hose

All FOAMICO standard hoses are mounted with stainless steel press couplings with 1/2" outer thread.

Temperature range: -20 degrees to + 70 degrees celcius. Max pressure: 80 bar at 20 degrees.



**Item number**

- 7800171
- 7800172
- 7800173
- 7800174
- 7800175
- 7800176
- 7800281

**Description**

- 2,5 meter FOAMICO standard hose
- 10 meter FOAMICO standard hose
- 15 meter FOAMICO standard hose
- 20 meter FOAMICO standard hose
- 25 meter FOAMICO standard hose
- 30 meter FOAMICO standard hose
- 40 meter FOAMICO standard hose



**Item number**

- 7800234

**Description**

- 120 meter FOAMICO standard hose (without press couplings)



**Item number**

- 1700208

**Description**

- Insert for Hose - Outer Thread 1/2"



**Item number**

- 1700209

**Description**

- Insert for Hose - Inner Thread 1/2"



**Item number**

- 1700210

**Description**

- Outer Cape for Hose - 1/2"

### Can Holders

Stainless steel Can holders for either 1, 2 or 3 - 23 liter Cans.



**Item number**

- 1000295

**Description**

- Single Can holder 270 mm x 323 mm



**Item number**

- 1000298

**Description**

- Double Can holder 2x 270 mm x 323 mm



**Item number**

- 1001016

**Description**

- Triple Can holder 3x 270 mm x 323 mm

Below you will find inlet hoses for our mobile units.



**Item number**

7800112


7800201

**Description**

10 meter inlet hose for mobile, 3/4"

10 meter Inlet hose for mobile, 1

Below you will find various chemical hoses. Please note that the item number mentioned is per meter and without filter.



**Item number**

1700022

1700023

1700108

1700156

1000256

**Description**

Chemical hose, blue

Chemical hose, yellow

Chemical hose, red

Chemical hose, clear

Filter for chemical hose

## Hose Reels And Hose Holder

Our hose reels and hose holder are in stainless steel.



**Item number**

7800111

**Description**

Hose Reel Nedermann 886 (automatic)

Max. 25 meter 1/2" hose

1000510

Pivot wall bracket for Nedermann 886



**Item number**

7800430

7800432

7800431

7800433

**Description**

25 m Hose Reel Automatic, Stainless steel

Swiveling bracket for 25 m hose reel.

30 m Hose Reel Automatic, Stainless steel

Swiveling bracket for 30 m hose reel.



**Item number**

1000149

**Description**

Hose holder SS for wall mount

## Low Pressure Guns



**Item number**  
7800161

**Description**  
Foam Gun ST-2725 With ST-3100  
Vulcanized Rubber Coupling And With Swivel



**Item number**  
7800384

**Description**  
Foam Gun ST-2725 With Hard  
Plastic Protector on Coupling And With Swivel



**Item number**  
7800392

**Description**  
Foam Gun 12-80 With Coupling  
And With Swivel  
Up to 60 Bar Pressure



**Item number**  
1700316

**Description**  
Foam Gun ST-510 For TWP XA  
For TWP XA Satellite  
With Coupling

## Low Pressure Valves



**Item number**  
7800058

**Description**  
Low Pressure Valve SS With  
Vulcanised Coupling



**Item number**  
7800060

**Description**  
Low Pressure Valve Galvanised Brass  
With Vulcanised Coupling



**Item number**  
7800203

**Description**  
Rubber Low Pressure Valve With  
Vulcanised Coupling

## Chemical Limiting Nozzles

Chemical limiting nozzles in high resistant plastic. The set contains 0,0 mm – 0,3 mm - 0,5 mm - 0,6 mm – 0,7 mm – 0,8 mm – 0,9 mm – 1,1 mm – 1,3 mm – 1,5 mm. The many different limiting nozzles allows you to make just the right Chemical concentration.



**Item number**  
7800297

**Description**  
Chemical limiting nozzles 0,0 mm – 1,5 mm

**Item number**  
7800347

**Description**  
Chemical limiting nozzles 1,1 mm – 2,8 mm

## Couplings and Ball Valves

Below you will find a selection of couplings and ball valves.



**Item number**  
1000028  
**Description**  
Male coupling 1/4" inner thread, SS



**Item number**  
1000029  
**Description**  
Male coupling 1/2" inner thread, SS



**Item number**  
1000037  
**Description**  
Quick Connect Coupling 1/2" outside thread, SS



**Item number**  
1000038  
**Description**  
Quick Connect Coupling 1/2" Outside Thread With Vulcanized Coupling SS



**Item number**  
7800135  
**Description**  
Press coupling 1/2" outer thread, SS



**Item number**  
1001200  
**Description**  
Quick Connect Coupling 3/8" Outside Thread With Vulcanized Coupling SS



**Item number**  
7800076  
**Description**  
Ball valve with T-Piece 1/2" inner thread, SS  
Incl. 1000037 Quick Coupling 1/2"



**Item number**  
7800353  
**Description**  
Ball valve til L-grip 1/2" inner thread, SS  
Incl. 1000037 Quick Coupling 1/2"



**Item number**  
1000266  
**Description**  
Ball valve with T-piece 1/2" inner thread, SS



**Item number**  
1000069  
**Description**  
Ball valve with L-grip 1/2" inner thread, SS

### Installation Kits For Satellite, Mainstation and Booster Systems

Foamico Installation kits are offered to prevent different issues with fragments, metal parts etc. that are found in the piping, and are causing damage to either the flowswitch, or in the worst case below the chamber stacks in the pumps, and we are offering installation kits for the Mainstation, Booster or Satellite installations. The installation kit has to be mounted just before the water inlet of the units. It's offered in ½" (Satellite Kit), 1", 1, 1¼", 1½" and 2" and contains Ballvalves, Pipefilter, Unions and Nipples. We highly recommend these kits for every installation to prevent fragments etc. to work their way to flowswitch, chamber stack and injectors.

Item number	Description
7800395	Installation Kit For Satellite Contains: 1 pcs ½" Ballvalve, 1 pcs ½" Pipe Strainer and 1 pcs ½" Union Strait
7800398	Installation Kit 1" Contains: 2 pcs 1" Ballvalve, 1 pcs 1" Pipe Strainer, 2 pcs 1" Union Strait and 1 pcs 1" Hexagon Nipple
7800399	Installation Kit 1¼" Contains: 2 pcs 1¼" Ballvalve, 1 pcs 1¼" Pipe Strainer, 2 pcs 1¼" Union Strait and 1 pcs 1¼" Hexagon Nipple
7800400	Installation Kit 1½" Contains: 2 pcs 1½" Ballvalve, 1 pcs 1½" Pipe Strainer, 2 pcs 1½" Union Strait and 1 pcs 1½" Hexagon Nipple
7800401	Installation Kit 2" Contains: 2 pcs 2" Ballvalve, 1 pcs 2" Pipe Strainer, 2 pcs 2" Union Strait and 1 pcs 2" Hexagon Nipple



## Safety Can System

Our Safety Can System is designed for correct and safe handling of chemical products. The design of the canisters and wall brackets makes it impossible for the cleaners to mount a wrong Can at a wrong wall bracket, which prevents mixing of two chemical products and the possible danger of dangerous gasses.

The wall bracket is designed to carry 10 liter canisters, and also the canisters included with the system Can contain 10 liter.

The canisters come with coloured lids, which indicates what type of chemical are in the canisters. The lid is secured to the Can by a stainless steel wire.

Item number	Description
7004001	Safety Can system complete, blue
7004002	Safety Can system complete, red
7004003	Safety Can system complete, yellow
7004004	Safety Can system complete, green



## Rinsing Nozzles

We have a great selection of rinsing nozzles, both stainless steel and brass. Below is shown the complete rinsing nozzles, which we have chosen as our standard program. If the nozzle you are looking for is not shown, please do not hesitate to contact us. The first two digits is the spraying angle, while the last two is the water consumption per minute.

### Stainless steel



#### Item number

7800147  
7800000  
7800001  
7800126  
7800002  
7800003  
7800182

#### Description

Rinsing nozzle 15/25 High Impact  
Rinsing nozzle 15/30 High Impact  
Rinsing nozzle 15/40 High Impact  
Rinsing nozzle 25/25 High Impact  
Rinsing nozzle 25/30 High Impact  
Rinsing nozzle 25/40 High Impact  
Rinsing nozzle 25/50 High Impact



### Brass



#### Item number

7800004  
7800005  
7800006  
7800007

#### Description

Rinsing nozzle 15/30, brass  
Rinsing nozzle 15/40, brass  
Rinsing nozzle 25/30, brass  
Rinsing nozzle 25/40, brass

## Foam Nozzles

We have foam nozzles available as either stainless steel or brass. Below is shown the complete foam nozzles, which we have chosen as our standard program. The first two digits is the spraying angle, while the last three digits refer to the Foam volume per minute.

### Stainless steel



#### Item number

7800008  
7800009

#### Description

Foam nozzle 65/150  
Foam nozzle 50/200

### Brass



#### Item number

7800010  
7800011

#### Description

Foam nozzle 50/150  
Foam nozzle 50/200



## Rinsing Lances

We also have a great selection of rinsing lances, both stainless steel and brass. Below is shown the complete rinsing lances, which we have chosen as our standard program. If the nozzle you are looking for is not shown, please do not hesitate to contact us. The first two digits is the spraying angle, while the last two is the water consumption per minute.

### Stainless steel



**Item number**

- 7800151
- 7800078
- 7800079
- 7800152
- 7800080
- 7800081
- 7800183

**Description**

- Rinsing lance 15/25 High Impact
- Rinsing lance 15/30 High Impact
- Rinsing lance 15/40 High Impact
- Rinsing lance 25/25 High Impact
- Rinsing lance 25/30 High Impact
- Rinsing lance 25/40 High Impact
- Rinsing lance 25/50 High Impact

### Brass



**Item number**

- 7800014
- 7800015
- 7800016
- 7800017

**Description**

- Rinsing lance 15/30, brass
- Rinsing lance 15/40, brass
- Rinsing lance 25/30, brass
- Rinsing lance 25/40, brass

## Foam Lances

We have foam lances available with stainless steel nozzle. Below is shown the complete foam lances, which we have chosen as our standard program. The first two digits is the spraying angle, while the last two is the water consumption per minute.

### Stainless steel



**Item number**

- 7800114
- 7800139

**Description**

- Foam lance 250 mm 65/150
- Foam lance 250 mm 50/200

## Turbo Foam Nozzle

Our Turbo Foam Nozzle is designed for use mainly with our tap water units and our MS ULTRA NEXT 0106 program. Provides excellent foam without compressed air.



**Item number**  
1001668

**Description**  
Turbo Foam Nozzle

## Disinfection Nozzles

Our disinfection nozzles are available in stainless steel only. The first two digits is the spraying angle, while the last two is the water consumption per minute.



**Item number**  
7800012  
7800013

**Description**  
Disinfection nozzle 40/30  
Disinfection nozzle 50/30

## Nozzle Protectors

Our nozzle protectors are available in 7 different colors. White and grey for foam nozzles. Red, green, yellow, light blue and dark blue for disinfection nozzles



**Item number**  
7800042  
7800323

**Description**  
Nozzle Protector White  
Nozzle Protector Grey



**Item number**  
7800322  
7800040  
7800041  
7800039  
7800321

**Description**  
Nozzle Protector Red  
Nozzle Protector Green  
Nozzle Protector Yellow  
Nozzle Protector Light Blue  
Nozzle Protector Dark Blue

## Nozzle Holder

Our nozzle Holder available in stainless steel only. The nozzle holder can hold up to 5 nozzles.



**Item number**  
1001120

**Description**  
Nozzle Holder 5 pc.

# FOAMICO®

Introducing the NEXTe step in high performance cleaning equipment

## ABOUT

FOAMICO is an independent manufacturer of superior cleaning solutions to the food and beverage industries.

Our core business is to develop, manufacture and deliver reliable and efficiently cleaning solution for surface and open plant cleaning worldwide.

Our goal is to be viewed as a very innovate partner with extreme focus on food safety, cost efficient, reliability, easy to use and high degrees of competitiveness.

FOAMICO was founded 2009 and is already doing business in more than 26 countries on 5 continents.

Despite we are relative new players in the market we have already seen a very high growth and achieved overwhelming recognition for our products in terms of efficiency and reliability.

Our visions are very clear that we want to be a dominating supplier worldwide within this business segment.

## CONTACT

FOAMICO ApS

DK-9400 Noerresundby

Denmark

Phone: +45 22 50 39 00

foamico@foamico.com

**www.foamico.com**

